




ITEM CODE	PRODUCT DESCRIPTION	ITEM CODE	PRODUCT DESCRIPTION
-----------	---------------------	-----------	---------------------

DVR Combo Of The Month

<p>Special</p> 		<p>4CH DVR CAMERA SYSTEM COMPLETE WITH 4 OUTDOOR CAMERAS!</p> 	<p>GREAT VALUE!</p> <p>1 x 4CH 100FPS DVR - VGA or Composite output - Lan port for remote viewing 1 x 500GB HARD DRIVE 4 x OUTDOOR 15m Infrared CAMERA (INF009) 1 x 2AMP POWER SUPPLY (POW011)</p>
--	---	--	--














New entry level - H.264 Realtime DVR's

<p>DVR058</p>  <p>HOT!</p>	<p>4CH D1 100fps - H.264* DVR incl Remote Control * Support Up to 1TB SATA HDD * Embedded proprietary operating system ensures high reliability * Motion/Alarm/Timing or Manual recording modes * Auto NTSC / PAL video output * LAN port for remote view * USB flash drive backup * VGA Output * Recording (PAL 100 fps with NOW WITH H.264) * 4ch Audio * 500 Gb HDD NOW included * NOW with Mouse Control & Improved GUI * Cellphone Viewing *</p>
<p>DVR052</p> 	<p>8CH 200fps - * NOW H.264 : * Multilanguage Menu * Realtime Live Display and Recording *Triplex operation (Record/Playback/Back up) * USB Back Up * Network Backup * VGA output * PTZ Control * Remote Monitoring * Motion Detection * SATA HDD Connection * Remote Control *4 Channel Audio * Including Remote and Client Software * 1 Tb HDD NOW Included * NOW With Mouse Control (mouse not included) & Improved GUI * Cellphone Viewing *</p>
<p>DVR053</p>  <p>HOT!</p>	<p>16CH 400fps - * NOW H.264 : * Multilanguage Menu * Realtime Live Display and Recording *Triplex operation (Record/Playback/Back up) * USB Back Up * Network Backup * VGA output * PTZ Control * Remote Monitoring * Motion Detection * SATA HDD Connection * Remote Control *4 Channel Audio * Including Remote and Client Software * 1 Tb HDD NOW Included * NOW With Mouse Control (mouse not included) & Improved GUI * Cellphone Viewing *</p>

PC Based DVR SERIES

PLEASE ASK YOUR SALES REP TO EMAIL YOU THE CORRECT PC SPECS!!!





























<p>DVR060</p>  <p>NEW!</p>	<p>8 Channel 200fps PCI DVR card. H.264 Hardware Compression * 8CH Audio * Recording resolution: 2ch 4CIF(D1) with 25FPS realtime OR 8ch 2CIF with 12FPS per channel * Dual Steaming (for faster remote viewing) * Cell Phone Viewing (IE) * Schedule / Continuous / Motion Recording * Realtime viewing *</p>	<p>DVR061</p>  <p>NEW!</p>	<p>16 Channel 200fps PCI DVR card. H.264 Hardware Compression * 16CH Audio * Recording resolution: 16ch CIF 25FPS or 4ch 4CIF(D1) with 25FPS realtime OR 16ch 2CIF with 12FPS per channel * Dual Steaming (for faster remote viewing) * Cell Phone Viewing (IE) * Schedule / Continuous / Motion Recording * Realtime viewing *</p>
<p>DVR039</p> 	<p>8 Channel 200fps PCI DVR card. (Stackable to 16ch) H.264 Hardware Compression * 8CH Audio * Recording resolution: 704X576,528X384,352X 288 * Easy Graphical User Interface * Configure CH independent * Schedule / Continuous / Motion Recording * Realtime viewing & recording * Multi Zone Motion Recording * ADVANCED Windows based software</p>	<p>DVR046</p> 	<p>16 Channel 400fps PCI DVR card. (Stackable to 32ch) H.264 Hardware Compression * 16CH Audio * Recording resolution: 704x576,528X384,352X 288 * Easy Graphical User Interface * Configure each CH independent * Schedule / Continuous / Motion Recording * Realtime viewing & recording * Multi Zone Motion Recording * ADVANCED Windows Based Software</p>

ITEM CODE	PRODUCT DESCRIPTION	ITEM CODE	PRODUCT DESCRIPTION
Augen Embedded DVR			
DVR059	 <p>32 Channel 800fps CIF Embedded DVR Quick Overview * Realtime Live Display * 4ch D1 Realtime Recording * Triplex operation (Record/Playback/Back up) * * USB Back Up / DVD (optional) backup * Network Backup * HDMI Output / VGA / Composite * Cellphone Viewing * * PTZ Control * Remote View * Motion Detection * 8 x SATA HDD Connection * 16 Channel Audio * INCLUDES: 2TB HDD</p>		
Avtech IVS DVR Series			
  DVR055	<p>4CH 100fps - H.264 IVS DVR * <i>Mobile Surveillance</i> iPhone BlackBerry Windows Mobile & Symbian * Push Notification to your iPhone for Instant Event Notification * Network Surveillance Via Licensed Software , Internet explorer , Mozilla Firefox or Google Chrome * <i>Intelligent Surveillance - Virtual Fence - Flow Counting - Data Over Coax - Single Channel Motion Recording</i> * Support Up to 1 x 2TB SATA HDD * Embedded proprietary operating system ensures high reliability * Motion/Alarm/Timing or Manual recording modes * 4 Audio-in/1 Audio-out (Network Live Audio) * Auto NTSC / PAL video output * LAN * USB flash/DVD drive backup * VGA Output or Call Monitor Output * Multiplex Operation * 500 Gb HDD NOW included * Mouse/Remote Control * Cell Phone Viewing *</p>		
  DVR056	<p>8CH 200fps - H.264 IVS DVR * <i>Mobile Surveillance</i> iPhone BlackBerry Windows Mobile & Symbian * Push Notification to your iPhone for Instant Event Notification * Network Surveillance Via Licensed Software , Internet explorer , Mozilla Firefox or Google Chrome * <i>Intelligent Surveillance - Virtual Fence - Flow Counting - Data Over Coax - Single Channel Motion Recording</i> * Support Up to 2 x 2TB SATA HDD * Embedded proprietary operating system ensures high reliability * Motion/Alarm/Timing or Manual recording modes * 4 Audio-in/1 Audio-out (Network Live Audio) * Auto NTSC / PAL video output * LAN * USB flash/DVD drive backup * VGA Output or Call Monitor Output * Multiplex Operation * 1 Tb HDD NOW included * Mouse/Remote Control * Cell Phone Viewing *</p>		
  DVR057	<p>16CH 400fps - H.264 IVS DVR * <i>Mobile Surveillance</i> iPhone BlackBerry Windows Mobile & Symbian * Push Notification to your iPhone for Instant Event Notification * Network Surveillance Via Licensed Software , Internet explorer , Mozilla Firefox or Google Chrome * <i>Intelligent Surveillance - Virtual Fence - Flow Counting - Data Over Coax - Single Channel Motion Recording</i> * Support Up to 2 x 2TB SATA HDD * Embedded proprietary operating system ensures high reliability * Motion/Alarm/Timing or Manual recording modes * 4 Audio-in/1 Audio-out (Network Live Audio) * Auto NTSC / PAL video output * LAN * USB flash/DVD drive backup * VGA Output or Call Monitor Output * Multiplex Operation * 1 Tb HDD NOW included * Mouse/Remote Control * Cell Phone Viewing *</p>		







ITEM CODE	PRODUCT DESCRIPTION	ITEM CODE	PRODUCT DESCRIPTION
Avtech DCCS Camera Series BNCs and Flylead Connectors Not Incuded			
 <p>PIR001 NEW!</p>	<p>1/3" AVtech Colour CCD Human Detection PIR Camera with people counting *Support DCCS Technology * * 480TVL * IR PRO True D&N Camera * *Smart Light Control* * DC12V±1V / 500mA * 3.6mm Fixed Lens</p>	 <p>DOM024 NEW!</p>	<p>1/3" AVtech Colour CCD H.R Dome Camer with Smart Zoom *Support DCCS Technology * 520TVL * 0.15 LUX * * DC12V±1V / 240mA * 4-9mmVari-Focal</p>
 <p>INF033 NEW!</p>	<p>1/3" AVtech Colour CCD Zoom lens Control IR Camera *Support DCCS Technology* * 520TVL * 35 LED's (25m) * * IP67 Weather Proof * *Smart Light Control* * DC12V±1V / 520mA * 4-9mm Vari-Focal</p>	 <p>INF034 NEW!</p>	<p>1/3" AVtech Colour CCD Smart Zoom IR Camera *Support DCCS Techonlogy * *520TVL * 56 LED's (40m) * * IP67 Weather Proof* * Smart light Control * * 220V * 4-9mm Vari-Focal Lens</p>
 <p>PTZ021 NEW!</p>	<p>1/4" AVtech Outdoor Sony Speed Dome AUTO TRACKING Function *Support DCCS Technology* * 22 x Optical Zoom * 0.6 LUX * HR * * Weatherproof IP67 * * 12V 3Amp * Requires PTZ017 for Auto tracking * Including Wall mount Bracket * Only compatible with AVTech DVR / Controller</p>		
STAND ALONE HIDDEN CAMERAS			
 <p>HID011 HOT!</p>	<p>Pen Mini Camera DVR. * Built in battery and 4GB Flash memory * Battery Life: 100 minutes * Continuous record - Audio and Video * AVI Recording format - 500KB per min * Includes usb cable and charger</p>		
QUAD SPLITTER SERIES			
 <p>SEC027</p>	<p>4 Channel Colour Quad * PAL 720 x 576 * Display modes : 4, 2, 1 camera display * *Buzzer for warning/video loss signals * Remote control included *</p>	 <p>QJA002</p>	<p>8 Channel Colour Quad * PAL 720 x 576 * Display modes :8, 4, 2, 1 camera display * Dual Page Quad * * Buzzer for warning/video loss signals * * Remote control included *</p>

ITEM CODE	PRODUCT DESCRIPTION	ITEM CODE	PRODUCT DESCRIPTION
AUGEN CAMERA'S BNCs and Flylead Connectors Not Included			
DOM022  HOT! 520TVL	1/3" HR Colour CCD Mini Dome housing * 500TVL * 0.6 LUX * AES * * Auto Gain Control * * DC12V±1V / 150mA * 3.6mm Fixed Lens 	DOM020  520TVL	1/3" HR Colour CCD * 500TVL * 21 LED's (15m) * * 0 LUX when IR's on * * AES * Auto Gain Control * * DC12V±1V / 350mA * 3.6mm Fixed Lens 
INF027  HOT! 520TVL	1/3" HR Colour CCD * 520TVL * Weatherproof * IP67 * 35 LED's (25m) * 0 LUX when IR's on * * Auto Gain Control * AES * * DC12V±1V / 450mA * 3.6mm Fixed Lens 	INF032  520TVL	1/3" HR Colour CCD * 520 TVL * Weatherproof * IP67 * 21 LED's (40m) * 0 LUX when IR's on * * Auto Gain Control * AES * * DC12V±1V / 650mA * 6mm Fixed Lens 
DOM026  NEW!	1/3" HR Colour CCD Sony Effio DSP * 600 TVL * 0.05 LUX * * Auto Gain Control * AES * * DC12V±1V / 400mA * 4 ~ 9 mm Vari-Focal Lens 	INF036 - (BLACK)  NEW!	1/3" HR Colour CCD Sony Effio DSP * 600 TVL * Weatherproof * IP67 * 35 LED's (25m) * 0.05 LUX (0 LUX when IR's on) * * Auto Gain Control * AES * * DC12V±1V / 400mA * 3.8mm Fixed Lens 
OUTDOOR IR CAMERAS			
INF009  HOT!	1/4" Sharp Colour CCD * 420TVL * Weatherproof * IP66 * 12 High Power LED's (10-15m) * 0 LUX when IR's on * * DC12V±1V / 350mA * 3.6mm Fixed lens		
INF026  520TVL	1/3" Sony Colour Super HAD Interline Transfer CCD * 520TVL * Weatherproof * IP66 * 43 LED's (40m) * 0 LUX when IR's on * * Auto Gain Control * * DC12V±1V / 750mA * 3.5mm to 8mm vari-focal lens. (Belt Driven, adjustable from back, no need to open camera)	INF024  520TVL	1/3" Sony Colour Super HAD Interline Transfer CCD * 520TVL * Weatherproof * IP66 * 43 LED's (40m) * 0 LUX when IR's on * * Auto Gain Control * * DC12V±1V / 750mA * 6mm to 15mm vari-focal lens. (Belt Driven, adjustable from back, no need to open camera)
BOX CAMERAS (LENS NOT INCLUDED)			
CCD018  NEW!	1/3" Sony Super HAD CCD Camera * 540TVL * 0.8 LUX * F1.2 * DC Video Drive * * AWB * AGC * DC12V / 350mA	CCD016  520TVL	1/3" Sony CCD Starlight Camera * 540TVL * 0.001 LUX (Sense Up) * F1.2 * DNR (Digital Noise Reduction) * DC Video Drive * * DC12V / 100mA or 24v AC
CCD017 	1/3 DPS (Digital Pixel System) SUPER WIDE DYNAMIC CAMERA * 540TVL * 0.01Lux * Auto Gain Control * 3D DNR (Digital Noise Reduction) * OSD DC12V/AV24V	CCD019 	1/3" HR Colour CCD Sony Effio DSP * 752(H) x 582(V) TVL * Digital WDR * 0.1 LUX Colour / 0.08 LUX B/W * Built In MIC * Auto Gain Control * AES * * DC12V±1V / 100mA * CS Mount

ITEM CODE	PRODUCT DESCRIPTION	ITEM CODE	PRODUCT DESCRIPTION
DOME AND VANDALPROOF CAMERAS (LENS INCLUDED)			
 <p>DOM006 NEW!</p>	<p>1/3" Sharp CCD * 540TVL * 1 LUX * * Vandal proof * DC12V / 300mA * 3.5 ~ 8mm vari-vocal lens</p>	 <p>DOM019</p>	<p>1/3" Augen Day/Night Colour CCD * 520 TVL * 0.15 LUX * * DC12V / 350mA * 4~9mm Vari Focal Auto Iris lens</p>
 <p>DOM017</p>	<p>1/3" Sony Super HAD CCD * 520 TVL * 0 LUX (IR's on) * 23 LED's (20m) * Vandal proof * Auto Gain Control * Auto Electronic Shutter * * DC12V / 350mA * 3.6mm Fixed lens</p>	 <p>DOM018</p>	<p>1/3" Sony Super HAD CCD * 520 TVL * 0 LUX (IR's on) * 23 LED's (20m) * Vandal proof * Auto Gain Control * Auto Electronic Shutter * * DC12V / 350mA * 3.5 ~ 8mm Vari Focal lens</p>
Pan Tilt Zoom Cameras			
 <p>PTZ019 NEW!</p>	<p>Outdoor 1/4" Sony High Speed Dome * 36 x Optical * 0.1 / 0.01 LUX * 540 TVL * Weatherproof IP66 * Anti Shake Technologies * Common Protocols : Pelco-P, Pelco-D</p>	 <p>CCD013</p>	<p>22 X Zoom Camera WITH Remote! * 1/4" Sony CCD, 420TVL * 22x Optical Zoom Lens (3.9-85.8mm) * Built in Pelco D & P Protocols. 9600 Baud * BLC, Auto AGC.</p>
 <p>BRA007 + PTZ010</p>	<p>Outdoor PT Motor (AC24V) + Bracket * POWER SUPPLY NOT INCLUDED</p>	 <p>INF021 GREAT VALUE!</p>	<p>1/3" Sony Colour Super HAD Interline Transfer CCD NOW INCL REMOTE * 420TVL * Weatherproof * IP66 * 8 High Power LED's (80m) * 0 LUX when IR's on * * 12V DC 3.5Amp * X22 (3.6-79.2mm) Zoom lens * Decoder not included</p>
Pan Tilt Zoom Cameras - Continued			
 <p>PTZ011</p>	<p>PT decoder / controller box for INF015 & motor</p>	 <p>PTZ006</p>	<p>PTZ DECODER (FOR MULTIPLE INF021'S ON ONE SITE)</p>
 <p>PTZ017</p>	<p>3D PTZ Dome Keyboard For PTZ018 * Touch Screen * LCD on keyboard for easy menu navigation. * Common Protocols : Pelco-D & Other * DC12V Power Supply Included *</p>	 <p>PTZ013</p>	<p>3D PTZ Dome Keyboard * LCD on keyboard for easy menu navigation. * Common Protocols : Pelco-P, Pelco-D & Other * DC12V Power Supply Included *</p>
MINI AND HIDDEN COVERT CAMERAS			
 <p>HID006</p>	<p>1/3" Sharp CCD * Smoke Detector Housing * * 420TVL * 1 LUX * DC12V / 150mA * 3.7mm Fixed Pinhole lens</p>	 <p>HID018</p>	<p>1/3" Sharp CCD NOW WITH WORKING PIR !!!! * PIR housing * 420TVL * 1 LUX * DC12V / 150mA * 3.7mm Fixed Pinhole lens</p>
 <p>SEC001</p>	<p>1/4" Sharp CCD * "Lipstick housing" * 420TVL * 1 LUX * DC12V / 150mA * 3.7mm Fixed lens</p>	 <p>HID014</p>	<p>1/4" Sharp CCD * 420TVL 1 LUX * DC12V / 150mA * 3.7mm Fixed Pinhole Lens</p>
 <p>HID012</p>	<p>1/3" Sony CCD * Wall Clock Housing * * 420TVL * 0.3 LUX * DC12V / 150mA * 3.7mm Fixed Pinhole lens</p>		

ITEM CODE	PRODUCT DESCRIPTION	ITEM CODE	PRODUCT DESCRIPTION
WIRELESS SYSTEMS			
WIR003 	Audio + Video Transmitter & receiver Set. 1000mw will get around 65 meter line of sight, 2.4GHz Signal & uses FM modulation, 2 x 9.5V DC 500mA power supplies included. Need one T/R set per camera. (Max 4 systems per CCTV Site)		
BRACKETS			
BRA002 	Full directional stainless steel bracket		
NETWORKING (400M COLOUR/ 600M B/W) (TRANSMITS SIGNAL OVER STANDARD CAT5 CABLE)			
NET005  	Passive balun SET * 1channel transmitter + receiver set * (300 - 400m colour)	NET006T or NET006R 	Active balun Transmitter or Receiver * 1 channel transmitter OR receiver * (2km - 2.4km colour)
NET009 	4ch Passive balun , Transeiver (300 - 400m colour)	NET016 	16ch Passive balun , Transeiver (300 - 400m colour)
LIGHTNING / SURGE PROTECTION			
POW014 	Ground Loop Isolator	POW022  	In-line Surge Protection (5KA-5V) VIDEO & POWER Protection
POW016 	In-line Surge Protection (10KA-5V)	POW018  	In-line Surge Protection (10KA-5V)
POW021  	RJ45 Network Surge Protector		
HIGH QUALITY CONNECTORS			
CAB010 	RG59 Point Connectors -CRIMP-ON 10-Pack	CAB013  	RG59 FEMALE Point Connectors -CRIMP-ON 10-Pack
SEC073 	RG59 Female to RCA Male Connector	SEC050 	RCA Female to RG59 Male Connector
CON001 	RG59 T-Piece (3 Side Male Connector)	CON002 	RG59 T-Piece (2 Side Male Connector & one side Female)
SEC049 	Barrel Connectors;RG59 In-Line Female-Female	SEC095 	Barrel Connectors;RG59 In-Line Male-Male
SEC044 	DC Plug with Fly Lead (Female)	SEC082 	DC Plug with Fly Lead (Male)
POW009 	2 Way DC Plug Splitter - IDEAL FOR USE WITH 1 AMP POWER SUPPLY	CAB029  	RJ45 Network Connectors & Boots (10 Pack)

ITEM CODE	PRODUCT DESCRIPTION	ITEM CODE	PRODUCT DESCRIPTION
ACCESSORIES / HOUSINGS			
TEST002 	2.5" LCD CCTV Tester * BNC in & output. * RS232 & 485 Port * Pelco D & P, Samsung & other protocols * Rechargeable batteries & charger Included NOW Multi-meter function	TEST003  	3.5" LCD Wrist CCTV TESTER * Rechargeable * Wrist Strap Included * * Installations just got easier! *
	USB to RS485 Converter	HOU002 	SIDE / FRONT FLIP Housing (including Bracket)
NET015  	BNC to VGA converter * VGA, S-Video & BNC input * VGA Output * Switch easy between inputs. * 800x600 @ 60Hz / 1024x768 @ 60Hz	NET018 	VGA to BNC converter * VGA, S-Video & BNC input * BNC Output * Switch easy between inputs. * 800x600 @ 60Hz / 1024x768 @ 60Hz
VGA003 	4 Way VGA splitter box * 1 VGA input * 4 Port VGA Output * Enhance Video Signal For approx 25m. * Support up to 1920x1440 @ 85Hz		
CAB025 	BNC Crimping tool * RG59/6	CAB026 	Stripping tool for cable * RG58/59/6
CAB028  	RJ45 Network Cable Crimping Tool	MIC002 	Amplified Microphone (needs 12v Power)
RG59 CABLE 	* 100m RG59 Powerex Cable * 300m RG59 Powerex Cable	CAT5 Network CABLE 	* 300m CAT5 Network Cable
COMMS CABLE 	* 100m 8 Core Comss Cable * 100m 6 Core Comms Cable	BAT001 	7 Amp Backup Battery (For POW005 and POW006)
HIGH QUALITY POWER SUPPLIES			
POW008 	12V 1 Amp power supply	POW011 	12V 2 Amp power supply (including 4 way splitter)
POW023  	12V 4 Amp power supply	POW024  	15V 3 Amp power supply
POW025  	19V 2.5 Amp power supply	POW001 	24VA Power supply (FOR PTZ's)
POW012  	5 - 7 Amp 9 Stage regulated power supply * Wall mountable * Lockable * SELF resetting fuses	POW013  	10 Amp 18 Stage regulated power supply * Wall mountable * Lockable * SELF resetting fuses
POW005  	5 Amp Access Control Regulated PSU * Wall mountable * Lockable * NOW WITH BATTERY BACKUP SUPPORT (Battery not included)	POW006  	10 Amp 18 Stage regulated power supply * Wall mountable * Lockable * Up to 2 x 7 AH Batteries * NOW WITH BATTERY BACKUP SUPPORT (Battery not included)

ITEM CODE	PRODUCT DESCRIPTION	ITEM CODE	PRODUCT DESCRIPTION
Vari-Focal LENSES			
LEN001 	2.8 - 12mm Vari-Vocal Auto Iris DC Lens	LEN013 	6 - 15mm Vari-Vocal Auto Iris DC Lens
LEN003 	6 - 60mm Vari-Vocal Auto Iris DC Lens	LEN009 	3.5 - 8mm Vari-Vocal Auto Iris DC Lens
LEN006  	5 - 100mm Vari-Vocal Auto Iris DC Lens	LEN004 	2.5mm Fixed Iris CS Mount Lens
ACCESS CONTROL			
ACC004  	FINGERPRINT Time Management System Technical Specification * Confirm access by either Fingerprint or Password * Store up to 1000 Fingerprints * Store up to 1500 Users * * Stores up to 30 000 Attendance records through Network port on Software * 16 x 16mm Fingerprint input * * Identification Time : ≤1s *		
ACC008 	270 KG Magnetic Lock * 12V DC Power to Lock * Holding Force 270Kg * Starting & Holding Current 450mA	ACC010	Z Bracket For Magnetic Lock
PC (On Request Only)			
<u>Intel Security PC Solution</u>			
COMUTER 	* ATX Case * Intel Motherboard * Intel 2Ghz Celeron CPU * 1 Gb DDR Ram * 500Gb Hard Drive * Windows 7 * DVD Writer * Keyboard & Mouse		
Monitors			
LCD004 / LCD008 	LCD - 18.5" Wide LCD, 5ms, 800:1, Black		
	LCD - 22" Wide LCD, 5ms, 800:1, Black		